



**SPECIALISED TOOLS
AND EQUIPMENT**

Electrical Industry Product Guide

HTC MAKIN' THE HARD JOBS EASY

HTC has been supplying specialised tooling solutions to New Zealand industry for over than 35 years.

Specialists in 700 bar hydraulics, HTC offers 35 years of experience in the supply and application of high pressure hydraulic equipment. HTC sources and supplies solution-based tools and equipment for electrical contracting, railway, construction, engineering and drainage industries.

From branches in Auckland and Christchurch, HTC offers equipment sales, service, repair, calibration and tool hire.

"We are passionate about making the hard jobs easier for our customers. Call us today to see how we can help with your next project."

Robb Huskinson
Owner/Director



SUPPLIERS

HTC source from world leading manufacturers with respected brands and proven products. We evaluate manufacturers by visiting their factories and thoroughly testing their tools before we offer products to our customers for sale and hire.

HTC suppliers include Riken hydraulic tools, Tonichi torque equipment, Izumi electrical crimping tools, and Stanley hydraulic tools. Manufacturer's warranties are backed in our own workshops.



HI-TOOL CO., LTD



and many more

INDEX

Bolting	2	Non Conductive Hoses	18
Torque Tools (Powered)	2	Hydraulic Chainsaw	18
Torque Screwdrivers	2	Insulated Saws and Pruners	18
Wrenches	2	Hand Saws	18
Batteries	3	Tool Holders and Scabbards	19
Cable Crimping and Cutting	3	Line Throwing Gear	19
Cable Cutters - Battery Operated	4	Line Blowing Equipment and Fibre Gear	19
Cable Testing/Cutting Systems	4	Load Skates	20
Crimp Tools	5	Pole Handling	20
Crimp Tools - Battery Operated	5	Hydraulic Tamper	20
Crimping Die Sets	6	Pole Stands	20
Die Selection Chart	7	Mono Pole Jacking Kit	21
Cable Jointing and Stripping	7	Hydraulic Puller	21
Gas Torches	8	Portable Gantries	21
New Zealand Cable Jointers kits	8	Pumps - Hydraulic	22
Cable Pulling and Hauling	9	Rams - Hydraulic	23
Transmission Grips	9	Rods	23
Cable Socks	10	Ladders, Platforms and Carts	24
Pulling Accessories	10	Ladders and Platforms	25
Rollers	10	Tension Meters	26
Drills and Punches	11	Winches and Hoists	27
Punch Kits - Hydraulic	11	Petrol/Diesel powered winches	27
Punch Tools - Battery Operated	11	Battery powered winches	27
Electrical Transmission Equipment	12	Electric powered winches	28
Live Line Equipment	12	Cable Pusher and Feeders	28
Non Conductive PPE	13	Manual winches	29
Cover up Gear	13	Rope	29
Jumpers and load pick up tools	14	Ratchet Pullers	29
Hot Sticks	14	Cable hauling accessories	30
Instruments and Meters	15	Chain Blocks	31
Warning Systems	15	Chain Hoists/Lever Blocks	31
Gear Inspection	15	Winch Accessories	31
HTC Equipment Testing and Calibration	16	Hand Tools	32
Earth Rod Drivers	17	HTC Merchandise	33
Generators	17	HTC at the ConnexisNZ Annual Competition 2022	34
Arborist Equipment	17	Lines Comp Photos	34
Insulated Hydraulic Pruner	17	About HTC Hire	35
Hydraulic Saw	17	Notes	36



Bolting

Ratchet Wrench

IMG REF Product Description

A1 4 in 1 hex ratchet wrench - Multiple sizes available

A1



Torque Tools (Powered)

IMG REF Product Description

B1 Powered torque tools 50-50,000Nm +. Hydraulic, pneumatic, battery and manual tools available.

B1



Torque Screwdrivers

IMG REF Product Description

C1 Manual/digital/dial torque screw drivers - Multiple models available 0-20Nm

C1



Wrenches

IMG REF Product Description

D1 Manual/digital/dial torque wrenches - Standard and insulated models 0.3Nm - 2500Nm available

D1



Batteries

Product Description

E1 Wide range of batteries and chargers available.

Don't restrict your tools.
Talk with HTC about
compatible battery
platforms.



Cable crimping and cutting

Cable Cutters

Product Description

- F1 Izumi hand operated cable cutters - Jaw opening sizes available 22mm, 24mm, 35mm, 42mm, 56mm and 88mm
- F2 Izumi remote head cable cutters - Jaw opening sizes available 20mm, 24mm, 32mm, 41mm, 55mm, 60mm, 85mm, 100mm and 132mm
- F3 Izumi remote head cable cutters - Jaw opening sizes available 28mm and 105mm
- F4 Izumi ratchet cable cutter - Jaw opening size 33mm

F1



F2



F3



F4



Cable Cutters - Battery Operated

IMG REF	Product Description
F5	Izumi battery operated cable cutters - Jaw opening sizes available 24mm, 26mm and 44mm
F6	Izumi battery operated cable cutters - Jaw opening sizes available 50mm, 54mm and 65mm
F7	Izumi battery operated cable cutters - Jaw opening size 105mm
F8	OPT battery operated cutter - Jaw opening size 32mm

Don't restrict your tools.
Talk with HTC about
compatible battery
platforms.



Cable Testing / Cutting Systems

IMG REF	Product Description
F9	Live cable detection system - Includes battery pump, bluetooth remote, 8m non conductive hose, 100mm cable cutter and earthing kit, pump able to be used with other 700bar hydraulic tools



Crimp Tools

IMG REF	Product Description
F10	Izumi hand operated 12t crimp tools - Jaw opening sizes available 25mm, 31mm and 42mm
F11	Izumi remote head 12t crimp tools - Jaw opening sizes available 25mm, 31mm and 42mm
F12	Izumi remote head 25t crimp tool - Jaw opening size 28mm
F13	Izumi remote head 60t crimp tool - Jaw opening 60mm
F14	Izumi remote head 100t crimp tool - Jaw opening 75mm
F15	Hand ratchet crimp tools

Light weight
titanium models
also available

F14



F10



F12



F13



F15



F11



Crimp Tools - Battery Operated

IMG REF	Product Description
F16	Izumi battery operated 12t crimp tools
F17	Izumi battery operated 5t crimp tools
F18	Izumi battery operated 7t crimp tools
F19	Izumi battery operated 12t crimp tools

Don't restrict your tools.
Talk with HTC about
compatible battery
platforms.

F16



F17



F18




F19




Crimping Die Sets

IMG REF	Product Description
F20	25t crimp dies to suit 25t crimp tool
F21	60t crimp dies to suit 60t crimp tool
F22	100t crimp dies to suit 100t crimp tool
F23	200t crimp dies to suit 200t crimp tool
F24	12t crimp dies to suit all 12t crimp tools

F22



F23



F20



F21



F24



DIE SELECTION CHART

CRIMPING DIES

Code	Tonnes	Common Size (mm ²)	Type	A/F Size (mm)
38-14FLAT	12/22	used with hex die	Flexible	Flat
CU38-57	12/22	10	Copper	5.7
CU38-63	12/22	16	Copper	6.3
CU38-77	12/22	16/25	Copper	7.7
CU38-92	12/22	35	Copper	9.2
CU38-104	12/22	50	Copper	10.4
CU38-115	12/22	70	Copper	11.5
CU38-142	12/22	95	Copper	14.2
CU38-165	12/22	120	Copper	16.5
CU38-183	12/22	150	Copper	18.3
CU38-200	12/22	185	Copper	20
CU38-231	12/22	240	Copper	23.1
CU38-260	12/22	300	Copper	26
AL38-90	12/22	16/35	Aluminium	9
AL38-132	12/22	50/70	Aluminium	13.2
AL38-173	12/22	95/120	Aluminium	17.3
AL38-220	12/22	150/185	Aluminium	22
AL38-284	12/22	240/300	Aluminium	28.4
CDA-2	12/22	16/25	Aluminium	11.1
CDA-3	12/22	25/35	Aluminium	12.4
CDA-4	12/22	35/50	Aluminium	13.75
CDA-5	12/22	70/120	Aluminium	17.9
CDA-6	12/22	95/150	Aluminium	22.0
CDA-7	12/22	150/185	Aluminium	25.4
CDA-8	12/22	240	Aluminium	28.2
CDA-9	12/22	300/400	Aluminium	32.3
CDS-8	12/22	150	Steel	12.7
22T/400	22	400	Copper	28.1
22T/500	22	500	Copper	31.0
40-25 Flat	60	N/A	Flexible	N/A
40-185-CU	60	150	Copper	18.5
40-231-CU	60	240	Copper	23.1
40-260-CU	60	150/300	Copper	26.0
40-281-CU	60	400	Copper	28.1
40-310-CU	60	500	Copper	31.0
40-340-CU	60	1/2 Hex/240	Flexible	34.0
40-370-CU	60	630	Copper	37.0
40-410-CU	60	1/2 Hex/400	Flexible	41.0
40-220-AL	60	185	Aluminium	22.0
40-283-AL	60	300	Aluminium	28.3
40-390-AL	60	400/500	Aluminium	39.0
40-432-AL	60	630	Aluminium	43.2
DS7	60	150	Steel	10.11
DS8	60	240	Steel	12.70
DS9	60	300	Steel	15.11
DS10	60	40	I	16.05
DA7	60	150/185	Aluminium	25.43
DA8	60	240	Aluminium	28.19
DA9	60	300/400	Aluminium	32.33
DA10	60	400	Aluminium	36.22

Code	Tonnes	Common Size (mm ²)	Type	A/F Size (mm)
DA11	60	500	Aluminium	40.21
DA12	60	630	Aluminium	45.72
DA7-100	100	150/185	Aluminium	25.43
DA8-100	100	240	Aluminium	28.19
DA10-100	100	400	Aluminium	36.22
DA11-100	100	500	Aluminium	40.21
DS7-100	100	150	Steel	10.11
DS8-100	100	240	Steel	12.70
DS9-100	100	300	Steel	15.11
DS10-100	100	400	Steel	16.05
DA10/10W	100	400	Aluminium	36.22
DA/100W	100	630	Aluminium	45.72
DA11/100W	100	500	Aluminium	40.21
DS10/100W	100	400	Steel	16.05
DA14/100W	100	ACSR/CHUKAR	Aluminium	53.87
40-400 AL	60	Oxygen	Aluminium	40.0
40-345 AL	60	Nitrogen	Aluminium	34.5
40-445 AL	60	Selenium	Aluminium	44.5
40-475 AL	60	Sulphur	Aluminium	47.5
40-285 AL	60	Neon	Aluminium	28.5
475AL/100W	100	Sulphur	Aluminium	47.5
445AL/100W	100	Selenium	Aluminium	44.5
345AL/100W	100	Nitrogen	Aluminium	34.5

AAAC CRIMPING DIES

40-400 AL	60	Oxygen	Aluminium	40.0
40-345 AL	60	Nitrogen	Aluminium	34.5
40-445 AL	60	Selenium	Aluminium	44.5
40-475 AL	60	Sulphur	Aluminium	47.5
40-285 AL	60	Neon	Aluminium	28.5
100-475 AL	100	Sulphur	Aluminium	47.5
100-445 AL	100	Selenium	Aluminium	44.5
100-345 AL	100	Nitrogen	Aluminium	34.5

DIE ADAPTORS

Code	Description	Shape
25T-12T	25 - 12 Tonne Die Adaptor	Round
EP60S-12	60 - 12 Tonne Die adaptor	Round
EP100W-60	100 - 60 Tonne Die adaptor	Round
HZ100-60	100 - 60 Tonne Die adaptor	Square

SAFETY NOTES: To ensure correct operation and to maintain safety standards, customers must specify dies. If unsure, please contact connector manufacturer. HTC does not accept liability for joint failures due to incorrect die sizes.

Please visit www.htc.co.nz for more details and the full range of equipment available.

Cable Jointing and Stripping

Cable Strippers

IMG REF Product Description

- G1** Cable Trimmers/strippers - Multiple models available
- G2** Insulation strippers
- G3** Knives



Gas Torches

IMG REF Product Description


- G4** Range of gas torches available



New Zealand Cable Jointers kits

IMG REF Product Description

- G5** Range of base kits available



Cable Pulling and Hauling

Cable Grips

IMG
REF

Product Description

H1

Multiple sizes available, for hard and soft materials

H1



Model No.	Specifications					Cable/Conductor Types										Safety				
	WLL (kN)	Min (mm) Ø	Max (mm) Ø	Jaw Length (mm)	Weight (kg)	Bare Cu Cable	ACSR	Aluminium	ABC	Covered Cable	Trolley Wire	Guy Wire	Wire Rope	Steel Rod	Barbed Wire	Live Line	Safety Latch	Trigger Grip	Spring Latch	Notched
SD-S-GRIP	10	3.0	13.0	50	0.6	✓				✓		✓					✓	✓		
NEW-SD-GRIP	10	2.6	15.0	50*	0.6	✓				✓		✓		✓	✓		✓	✓		
10KN-GRIP	10	5.0	22.0	70	1.1	✓				✓	✓	✓		✓			✓	✓		
20KN-GRIP	20	5.0	22.0	90	1.5	✓				✓	✓	✓		✓			✓	✓		
20KN-W-GRIP	20	5.0	22.0	90	1.5	✓				✓	✓	✓	✓	✓			✓	✓		
35KN-GRIP	35	5.0	22.0	90	1.7	✓				✓	✓	✓	✓	✓			✓	✓		
MIGHTY-20-GRIP	20	5.0	28.0	120	1.9	✓				✓		✓		✓			✓	✓		
LARGE-20-GRIP	20	16.0	35.0	120	2.1	✓				✓				✓			✓	✓		
LARGE-30-GRIP	30	18.0	35.0	120	2.4	✓				✓				✓			✓	✓		
40KN-GRIP	40	8.0	28.0	140	3.5	✓				✓	✓	✓	✓	✓			✓	TWIST		
AL-10KN-GRIP	10	5.0	22.0	70	1.0	✓	✓	✓									✓	✓		
AL-20KN-GRIP	20	5.0	22.0	90	1.5	✓	✓	✓									✓	✓		
AL-35KN-GRIP	35	5.0	22.0	90	1.7	✓	✓	✓									✓	✓		
AL-MIGHTY-20-GRIP	20	5.0	28.0	120	1.9	✓	✓	✓									✓	✓		
AL-LARGE-20-GRIP	20	16.0	35.0	120	2.1	✓	✓	✓									✓	✓		
AL-LARGE-30-GRIP	30	18.0	35.0	120	2.4	✓	✓	✓									✓	✓		
AL-50KN-GRIP	50	18.0	36.0	180	4.7	✓	✓	✓									✓	TWIST		
AL-60KN-GRIP	60	28.0	46.0	220	7.0	✓	✓	✓									✓	TWIST		
H-20KN-GRIP	20	5.0	22.0	90	1.5	✓	✓	✓								✓	✓	✓	✓	✓
H-35KN-GRIP	35	5.0	22.0	90	1.7	✓	✓	✓								✓	✓	✓	✓	✓
H-MIGHTY-20-GRIP	20	5.0	28.0	120	1.9	✓	✓	✓								✓	✓	✓	✓	✓
H-LARGE-20-GRIP	20	16.0	35.0	120	2.1	✓	✓	✓								✓	✓	✓	✓	✓
H-LARGE-30-GRIP	30	18.0	35.0	120	2.4	✓	✓	✓								✓	✓	✓	✓	✓
ABC-S-GRIP	3.5	4x16 2x16	4x35 2x50	80	0.6				✓								✓	✓		
ABC-M-GRIP	10	4x25	4x95	160	2.4				✓								✓	✓		
ABC-L-GRIP	18	4x95	4x150	180	2.6				✓								✓	✓		

* Curved serrated jaw

Transmission Grips

IMG
REF

Product Description

H2

Cable grips

H2



Cable Socks

IMG REF Product Description

H3 Cable socks - Multiple sizes and models available

H3



CODE	DESCRIPTION	BREAKING STRENGTH
00670-050	DCD PULLING GRIP 0.75" - 1.12" DIA (19.05 - 28.50mm)	6,600lb. (2993 KG)
00670-100	DCD PULLING GRIP 1.13" - 1.49" DIA (28.70 - 37.85mm)	10,000LBS (4536KG)
00670-125	DCD PULLING GRIP 1.50" - 1.99" DIA (38.10 - 50.55mm)	13,800LBS (6260KG)
00670-200	DCD PULLING GRIP 2.00" - 2.49" DIA (50.80 - 63.25mm)	14,200LBS (6440KG)
00670-250	DCD PULLING GRIP 2.50" - 2.99" DIA (63.50 - 75.95mm)	17,500LBS (7938KG)
00671-080	DCD PULLING GRIP 3.00" - 3.74" DIA (76.20 - 95.00mm)	18,000LBS (8,165KG)

Pulling Accessories

IMG REF Product Description

H4 Shackles

H5 Swivels

H4



H5



Rollers

IMG REF Product Description

H6 Cable guide rollers - Multiple sizes and models available

H7 Trench rollers - Multiple sizes and models available

H8 Universal Stringing rollers - Multiple sizes and models available

H9 Occupied Duct Trench Rollers

H9



H6



H7



H8



Drills and Punches

IMG REF Product Description

- I1 Magnetic based drills – 12mm to 100 capacities
- I2 Magnetic based drills – Low Height
- I3 Automatic Feed Magnetic Drills



Punch Kits – Hydraulic

IMG REF Product Description

- J1 Izumi hydraulic punch kit – kits and individual parts available – up to 105mm in 3.2mm mild steel and 1.6mm stainless steel



Punch Tools – Battery Operated

IMG REF Product Description

- J2 Battery operated punch tools – Multiple sizes and throat depths available
- J3 Battery Switchboard punch

Great for making holes in pylons and other steel structures.



Electrical Transmission Equipment


IMG REF	Product Description
K1	Conductor pulleys
K2	Three wheel pulleys
K3	Pulleys
K4	Head board
K5	Bolt Clamps
K6	Conductor rollers
K7	Fixed joints



Live Line Equipment

Conductive PPE

IMG REF	Product Description
L1	Suit
L2	Gloves
L3	Socks



Non Conductive PPE

IMG REF	Product Description
L4	Class 00 to Class 4 gloves
L5	Glove protectors
L6	Glove liners
L7	Glove and blanket clamps
L8	Sleeves
L9	Gumboots





Cover up Gear

IMG REF	Product Description
L10	Blankets
L11	Split blankets
L12	LV Blankets
L13	Conductor and Insulator Covers
L14	Pole Covers



Jumpers and load pick up tools

IMG REF	Product Description
L15	Jumper sets
L16	Clamps
L17	Insulated Hangers
L18	Auxillary Arms



Hot Sticks

IMG REF	Product Description
L19	Hot Sticks
L20	Telescopic Utility and Measuring Sticks
L21	Shotgun gripall sticks, Hinged or Standard
L22	Hotstick accessories, wide range available
L23	Cloth Wipes
L24	Moisture Eater Wipes
L25	Hot Stick Tool Trailer



Instruments and Meters

Stick Mounted

IMG REF	Product Description
M1	Voltage Detectors
M2	Phase Detectors
M3	Ammeters




Warning Systems

IMG REF	Product Description
M4	Personal protection proximity meters



Gear inspection

IMG REF	Product Description
M5	Hot Stick Testers



KEEP YOUR PEOPLE SAFE

CALIBRATION, TESTING AND INSPECTION SERVICES

Now, more than ever, keeping your people safe means keeping your equipment in working order and compliant with the current standards.

The experienced team at HTC is here to help.

- Tests performed to comply with all relevant standards by experienced staff
- Presale and cyclic testing available
- All tests are traceable with secure certificate storage



Torque Testing

- Latest generation testing equipment, compliant with the ISO standard
- Manual wrenches and screw drivers
- Hydraulic Wrenches
- Powered torque multipliers



Load Cells



Tension Meters



Dielectric Testing ⚡

- Hi Voltage Insulation Testing
- PPE and Tools



Work Boots



Gloves



Sleeves



Mats



Live Line and Utility Sticks



Hydraulic Saws and Pruners



Arborist Tools and Equipment

Height Safety Inspection



Lifting Slings Inspection




Talk with the HTC Team today about your testing needs.

Earth Rod Drivers

IMG REF Product Description


- N1** Greenlee post and rod driver - Open and closed centre models available
- N2** Manual Impact tool ground rod driver



Generators

IMG REF Product Description

- N3** Wire range of generators available



Arborist Equipment

Insulated Hydraulic Pruner

IMG REF Product Description

- O1** Greenlee hydraulic pruner - 2.1m long, 50mm cutting capacity, insulated pole and trigger handle



Hydraulic Saw

IMG REF Product Description

- O2** Insulated Hydraulic Chainsaw




Non Conductive Hoses

IMG REF	Product Description
O3	Non conductive hose for hydraulic tools – Multiple lengths available




Hydraulic Chainsaw

IMG REF	Product Description
O4	Pistol Grip Hydraulic Saw



Insulated Saws and Pruners

IMG REF	Product Description
O5	Modular Insulated Sticks and attachments



Hand Saws

IMG REF	Product Description
O6	Wide range of hand saws



Tool Holders and Scabbards

IMG
REF Product Description


O7 Bucket and Belt Mounting options



Line Throwing Gear

IMG
REF Product Description

O8 Slingshots, Throwing bags, Dyneema Line



Line Blowing Equipment and Fibre Gear

IMG
REF Product Description

P1 Darts, balloons, birds and accessories available

P2 Cable blowing machine


P3 Fibre blowing machine



Load Skates

IMG REF Product Description

- Q1 Borkey load skates - Multiple kits and individual units available
- Q2 Powered load skates



Pole Handling

Hydraulic Tamper

IMG REF Product Description


- R1 Hydraulic pole tamper - 1.8m long, kidnet foot, open and closed center operation



Pole stands

IMG REF Product Description

- R2 Aluminium Pole Stands



Mono Pole Jacking Kit

IMG
REF Product Description

R3 Power Pole Hydraulic Jacking System

R3



Hydraulic Puller

IMG
REF Product Description

R4 Hydraulic pole puller - Lifts upto 25t

R4



Portable Gantries

IMG
REF Product Description

R5 Reid portable gantries - Multiple sizes available, rated to be used with safety harnesses

Available in Several Sizes and Capacity Ratings. Ask the HTC team for more details.

R5



Pumps - Hydraulic


IMG REF	Product Description
S1	Hand operated 700bar hydraulic pumps - Multiple fluid capacity sizes available
S2	Air operated 700bar hydraulic pumps - Multiple fluid capacity sizes available
S3	Riken 230v 700bar hydraulic pump units - Single and double acting, custom builds available
S4	Durapac petrol and diesel operated 700bar hydraulic pumps - Multiple models available
S5	Petrol and diesel operated low pressure pumps - Multiple models available
S6	Battery Hydraulic Pump



Rams - Hydraulic

IMG REF Product Description


T1 Hydraulic rams - 5t - 1000t models available, custom sizes can be made to order



Rods

IMG REF Product Description

U1 Fiberglass rod on dispensers - Multiple sizes available, 4-13mm diameter, 60-250m long, with tracer wire built in





Ladders, Platforms and Carts

IMG
REF

Product Description

V1 Tema suspension ladders and work platforming – Multiple sizes and accessories available

V2 Tema wire mounted Line Cart



IMG REF	Product Description
V3	Suspension Ladders
V4	Fibreglass Insulated Ladders
V5	Pole Platforms
V6	Antifall device



V4



V3



V5

V6



Tension Meters

IMG
REF

Product Description

- W1** Dillon wire tension meters - Up to 20 wire sizes able to be loaded at once
- W2** Analogue tension meters - 500kg to 10t
- W3** Dillon digital tension meters - 5kg to 20t, wireless display units available

Ask us about our in-house calibration



Winches and Hoists

Petrol/Diesel Powered Winches

IMG
REF Product Description

- X1 Pull-Tensioner Winches
- X2 Trailer Based Cable Winches
- X3 Pulling and lifting
- X4 Lifting winches

X1



X2



X4



X3



Battery Powered Winches

IMG
REF Product Description

- X5 Battery powered capstan winch

X5



Electric Powered Winches

IMG REF	Product Description
X6	Petrol and electric powered capstan winches for pulling and lifting - multiple models available
X7	Portable capstan winch
X8	Tema Dual Capstan feeding and hauling systems




Cable Pusher and Feeders

IMG REF	Product Description
X10	Cable Caterpillars and Feeders. Several drive types and capacities possible.



Manual

IMG REF	Product Description
X11	Wire tirsors – 1250kg, 2500kg and 5000kg models available
X12	Strappy



Rope

IMG REF	Product Description
X13	Capstan winch rope
X14	Dielectric rope
X15	Steel rope
X16	Rope bag



Ratchet Pullers

IMG REF	Product Description
X17	Ratchet pullers – Web strap and cable available, multiple lengths and capacities available
X18	Service Line Tensioner



Cable hauling accessories

IMG REF	Product Description
X19	Hauling Lube
X20	Drum stands
X21	Scissor lift drum stand
X22	Pipe Tools
X23	Swivels
X24	Rope Reel
X25	Pulling Eyes
X26	Trench Rollers



Chain Blocks

IMG REF Product Description

- X27** Elephant manual chain blocks - 3m and 6m standard drop, custom lengths available, capacities 0.5t to 5t available

Model	Capacity (ton)	Lift (m)
C-21-0.5	0.5	3
C-21-1.0	1.0	3
C-21-1.5	1.5	3
C-21-2.0	2.0	3
C-21-3.0	3.0	3



Chain Hoists / Lever Blocks

IMG REF Product Description

- X28** Elephant lever chain hoists - 1.5m drop, custom lengths available, sizes range from 250kg to 6.3t

Model	Capacity (ton)	Lift (m)
Y11-25	0.25	1
YA-50	0.5	1.2
YA-80	0.8	1.5
YA-160	1.6	1.5
YA-320	3.2	1.5
YA-630	6.3	1.5



Winch Accessories

IMG REF Product Description

- X29** Drum handling equipment - Multiple sizes and models available
- X30** Winch accessories - bags, rope, pulleys, hooks, pole mounts and more.



Hand Tools

Details

HTC can also supply leading international brands of hand tools, including cutting, measuring, sockets, hammers and general tools.



HTC Merchandise

IMG REF	Product Description
Y1	T-Shirts
Y2	Mugs

Y1



Y2



HTC at the ConnexisNZ Annual Connection 2022

It was an awesome 3 days at the ConnexisNZ Annual Connection 2022 in Levin last 27th-29th September. This event showcased the fantastic skills of NZ's electricity supply workers who continue to keep our country connected.

The competitions are a display of the skills, training, and knowledge which line mechanics and cable jointers rely on every day to keep power flowing to homes and businesses around New Zealand.



Lines Comp Photos



This is Lenny from Wel Networks. He is 55 and did 65 push-ups in a row and thus won our push up competition.



This is Judea from Connetics in Tawa. He came in second with 60 push ups.



HTC SERVICE

35

HTC's in-house specialist fitters are trained to provide fast, reliable and economic repairs and scheduled maintenance for your hydraulic tools and equipment.

Common parts are stocked for most products we hire and sell, which means you get your gear back quicker. Worried about keeping your current projects progressing while your gear is being serviced?

HTC offers discount hire rates when your own tools and equipment are being serviced by our specialist fitters.

HTC also supply seal kits, hoses, couplers, gauges, hydraulic fluids, coolants, cutters, punches, compression dies and a large range of other spares and accessories.

HTC specialist fitter's skills go beyond repairs and scheduled maintenance they can also create bespoke engineering solutions for your projects.



NOTES

NOTES



- SALES • HIRE
- CALIBRATION
- SERVICE

AUCKLAND

31 Andrew Baxter Drive, Airport Oaks
T (09) 271 0800



CHRISTCHURCH

31 Epsom Road, Sockburn
T (03) 341 0040

"Makin' the Hard Jobs Easy"

T 0800 HTC 000 (0800 48 2000) W HTC.CO.NZ