



UNI 42 A Electric bending machine

UNI 42, electric, an accurate and powerful bending machine able to bend large diameters as well as thin and delicate pipes with optimum and constant bending radii and without any pipe deformation.

TECHNICAL FEATURES

- Aluminium body
- Asynchronous motor HP 0,75 220V 50 HZ (different voltages on request) 2800 RPM
- Low tension electronic schedule (24V)
- Bending angle regulation
- Electrobrake
- Automatic return to stop
- Dimensions: length 520 mm, width 170 mm, height 350 mm (without stand)
- Weight kg. 35

UNI ACCESSORIES

FORMERS/GUIDES

STANDARD VERSION	CODE
UNI 42 A electric 230V-50Hz with quick counterformer positioning device	9200150.4

BENDING CAPACITY

TYPE OF PIPE	WITHOUT MANDREL	
	Ø ≤ mm.	⊘ ≤ mm.
Hard and soft copper pipes, soft annealed brass pipes	42	1,5
Electrical conduits	40	1,5
Stainless steel AISI 304/316 pipes	30	2
Hydraulic steel tubes ST. 3.5,4	42	3
Furniture tube	42	2
FE boiler pipes	42	3
Aluminium pipes	42	3
Gas pipes UNI 5745	1"1/4	Standard
Double coated pipe	50	Standard
Standard centerline bending radius	3 or 4 times Ø	

Diameters and special bending radii upon request



UNI 42 electric, with positioning ring to obtain the desired bending angle.



UNI 42 electric, complete with moving plane of bend and universal base.

Phone 0800 48 2000

SALES • SERVICE • HIRE • CALIBRATION