UNI 60 A

Electric bending machine

UNI 60, electric, an accurate and powerful bending machine able to bend large diameters as well as thin and delicates pipes with optimum and constant bending radii and without any pipe deformation.

TECHNICAL FEATURES
- Aluminium body
- Asynchronous motor HP 1,30 220V 50 HZ (different voltages on request) 2800 RPM
- Low tension electronic schedule (24V)
- Bending angle regulation
- Electrobrake
- Automatic return to stop
- Dimensions: length 520 mm, width 210 mm, height 410 mm (without stand)
- Weight kg. 60

STANDARD VERSION	CODE
UNI 60 A electric 230V/50Hz with quick counterformers positioning device	9200350.4

BENDING CAPACITY

TYPE OF PIPE	WITHOUT MANDREL Ø ≤ mm.	Ø ≤ mm.
Hard and soft copper pipes, soft annealed brass pipes	54	4
Electrical conduits	54	2
Stainless steel AISI 304/316 pipes	42	3
Hydraulic steel tubes ST. 35,4	54	4
Furniture tubes	54	3
FE boiler pipes	54	4
Aluminium pipes	54	5
Gas pipes UNI 5745	1"1/2	Standard
Double coated pipe	63	Standard
Standard centerline bending radius	3 or 4 times Ø	

Diameters and special bending radii upon request

UNI 60 electric with bending angle positioning ring.

UNI 60 electric, complete with moving plane of bend and universal base.