



FRDXX-XXX, Fibreglass Rod and Dispener from 40m - 300m

Fibreglass rod in continuous coils for long distance rodding of conduits. The rod is available in different sizes, and comes with a 1mm tracer wire in the centre and a 1.5mm layer of outer polyethylene sheathing for durability. The complete set comes with a join joiners, 1 replacement eye, threaded end & glue plus fitting instructions.

Part No	Dimensions (mm)	Weight (kg)	
FRD5-40	415 x 190 x 450	4.70	
FRD5-80	415 x 190 x 450	5.10	
FRD7-75	650 x 250 x 800	8.30	
FRD7-125	650 x 250 x 800	13.00	
FRD7-150	650 x 250 x 800	16.00	
FRD9-150	800 x 450 x 1050	31.00	
FRD9-200	800 x 450 x 1050	37.00	of 1
FRD11-200	1000 x 500 x 1250	55.00	
FRD11-250	1000 x 500 x 1250	64.00	
FRD11-300	1000 x 500 x 1250	73.00	

FRR var. sizes, Dispenser for Refill Reels of Rod

These Australia-made high quality rods will not soften in the heat and the polyethylene sheath has been UV stabilized. Each unit comes with a threaded male fitting and a removable eye on the outward end, plus a fixed eye on the inner end. Each dispenser stand has a drag brake for holding the rod during a fit-off with operation.





JK-XX, Joiner Kit

WWW.htc.co.nz





ME-XX, Male End fitting for 5, 7, 9 or 11mm Rod ME – 05/07/09/11, fitting for 5/7/9/11mm rod



FE-XX, Fixed Eye Fitting for 5, 7, 9 or 11mm Rod FE – 05/07/09/11, fitting for 5/7/9/11mm rod



RG9-11, Roller Guide for 9 and 11mm Rod The multi-directional twist of the brass rollers stop the rod from getting jammed under cable whilst rodding in occupied duct



SALES • SERVICE • CALIBRATION • HIRE

0800 48 2000



SE9-11, Swivel Eye for 9-11mm Rod





FL9-11, Fibreglass Leader for 9 or 11mm Rod

SL-5, Spring Leader for 5mm Rod SL-7, Spring Leader for 7mm Rod





SL9-11, Spring Leader for 9 or 11mm Rod


WWW.htc.co.nz SALES • SERVICE • CALIBRATION • HIRE 0800 48 2000



PHR-223M, Polycarbonate Hand Rods

These 22mm polycarbonate rods 3metres long with brass fittings are adaptable with Telstra type rods. The new polycarbonate provides the rigidity required for long placements and the molecular flexibility to avoid splintering when squashed or kinked.






PHR-22GH, Grappling Hook and Loop Set for 22mm Hands Rods with Male Ends

These grapping hooks fit the larger sizes of fibre rod and the PC hand rods. They are used when your conduit run is too long to rod from one end. Push from both ends and grab in the middle.

PHR-22C, Crank Handle

The PHR-22C is the crank handle to ensure the rods stay together whilstthrus ting and pulling the rods up tjeconduit.



www.htc.co.nz



PHR-22F / PHR-22M, Female/Male Fittings for 22mm Polycarbonate Hand Rods The PHR-22M and PHR-22F are replacement fittings for the polycarbonate rods.



PHR-22M



PHR-22F

PHR-22FL / PHR-22ML, Polycarbonate Hand Rod Replacement Bullet Leader PHR-22L are female/male removable eyes for the ends ofthe poly hand rods



PHR-22ML



PHR-22FL

www.htc.co.nz

SALES • SERVICE • CALIBRATION • HIRE 0800 48 2000